



WE LISTEN. WE OBSERVE. WE INNOVATE.

RAPTOR VAC® DRUM VAC

PNEUMATIC VACUUM KITS



NEW




61202
SINGLE OPERATOR
GENERAL PURPOSE
*DRUM AND WHEELED BASE
SOLD SEPARATELY



61203
SINGLE OPERATOR
FOR USE WITH TOOLS
*DRUM AND WHEELED BASE
SOLD SEPARATELY



61204 - DRY
61205 - WET
SINGLE OPERATOR
GENERAL PURPOSE
*DRUM AND WHEELED BASE
SOLD SEPARATELY



32005
20' VACUUM HOSE
ASSEMBLY
WITH INTEGRATED AIR LINE

"M" CLASS DRY VACUUM

PNEUMATIC DRUM VACUUM SINGLE OPERATOR

"M" CLASS DRY VACUUM

*61202 shown

These pneumatic powered DrumVac kits are a multi-industry clean air solution with fully integrated features designed to keep an operator working, without being concerned with the arduous task of changing out a vacuum bag in high collection scenarios. Used in conjunction with a 55 gallon drum, this system lends itself to one of the largest capacity portable dust/chip collection systems in the industry. Models 61204 and 61205 offer the highest level of lift performance, when speaking to large debris/chips in a dry or wet state.

Operator Benefits

- 55 Gallon drum equates to large collection capacity.
- No bag change-out requirements.
- Anti-Static clean up kit eliminates static discharge to operator.
- Vacuum hose with integrated airline reduces operator fatigue. And prevents tripping hazards.

Functionality Highlights

- Pneumatic venturi design with no mechanical parts to fail.
- Self-cleaning HEPA filtration provides a burst of clean air through filter, promoting proper airflow for power-head performance and extended filter life.
- Single operator mode only, ensures efficient performance when used for General purpose cleanup or use with tool.
- Integrated auto on/off when using system with tool.

QUICK REFERENCE MATERIAL GUIDE FOR DUST COLLECTION

Please consult factory for additional qualified materials.

| | | | | | | |
|----------------------------------|---|---------------------------------------|-----------------------------------|---|--|--|
| W_d Wood | F_b Fiberglass | S_s Solid Surface | C_m Composite | CHIP ONLY - NOT RATED FOR EXPLOSIVE DUST | | |
| A_l Aluminum | S_t Stainless Steel | C_s Carbon Steel | | | | |

| 61202 | 61203 | 61204 | 61205 |
|-----------------|--------------------|--------------------------------|--------------------------|
| | | | |
| GENERAL PURPOSE | FOR USE WITH TOOLS | GENERAL PURPOSE DRY HEAVY CHIP | GENERAL PURPOSE WET CHIP |

PNEUMATIC POWER HEAD ASSEMBLY



HEPA FILTER

STAGE 1, 99.95% @ 0.3 MICRONS



INTERFACE RING

POWER HEAD TO DRUM TRANSFER



SINGLE INLET

ALLOWS UP TO 1 OPERATOR



55 GALLON DRUM

ASTM GRADE (1.1 MM) WALL THICKNESS (SOLD SEPARATELY)



WHEELED BASE

HEAVY DUTY COMPACT BASE (SOLD SEPARATELY)



| Model No. | Description | Powered By | Noise Level dB(A) | Air Pressure (PSIG) | H.E.P.A. Filter | Air Supply | Unit Capacity Size | Supporting Accessories | Operators |
|-----------|----------------------------------|------------|-------------------|---|-----------------|------------|------------------------|------------------------|-----------|
| 61202 | General Purpose | Pneumatic | 87 | 80 - 150 (5.6 - 10.4 kg/cm ²) | 0.3 micron | 3/4" NPT | 55 Gallon (208 Liters) | 96746 | 1 |
| 61203 | For use with tools | | | | | | | 32005 | |
| 61204 | General Purpose / Dry Heavy Chip | | 96746 | | | | | | |
| 61205 | General Purpose / Wet | | | | | | | | |

Additional Specifications: Suggested Air Supply Line to all DrumVac Kits should be: 1/2" (13mm) minimum.

INCLUDED IN STANDARD KIT

| Model | 63602 | 63603 | 63604 | 80459 | 32013 | 32015 | 32014 | 62346/62347 | 32012 | 32005 | 96746 | 32016 | 32010 |
|-------|-------|-------|-------|-------|-------|-------|-------|-------------|-------|-------|-------|-------|-------|
| 61202 | x | | | x | | | | 62347 | x | | x | | |
| 61203 | | x | | x | | | | 62347 | x | x | | | |
| 61204 | | | x | | x | | x | 62346 | x | | x | | |
| 61205 | | | x | | | x | x | 62346 | x | | x | | |

OPTIONAL ACCESSORIES



RAPTOR VAC[®] DRUM VAC

ELECTRIC VACUUM KITS

NEW



61200

**SINGLE OPERATOR
GENERAL PURPOSE**

*DRUM AND WHEELED BASE
SOLD SEPARATELY



61201

**DUAL OPERATOR
FOR USE WITH TOOLS**

*DRUM AND WHEELED BASE
SOLD SEPARATELY

32005

**20' VACUUM HOSE
ASSEMBLY**

WITH INTEGRATED AIR LINE



ELECTRIC DRUM VACUUM

GENERAL PURPOSE OR USE WITH TOOLS

*61201 shown

The electric powered DrumVac kit is a multi-industry clean air solution with fully integrated features designed to keep an operator working, without being concerned with the arduous task of changing out a vacuum bag in high collection scenarios. Used in conjunction with a 55 gallon drum, this system lends itself to one of the largest capacity portable dust/chip collection systems in the industry.

Operator Benefits

- 55 Gallon drum equates to large collection capacity.
- No bag change-out requirements.
- Anti-Static clean up kit eliminates static discharge to operator.
- Vacuum hose with integrated airline reduces operator fatigue and prevents tripping hazards.

Functionality Highlights

- Bypass motor utilizes clean air to cool and extend motor life.
- Overload protection powers down vacuum prior to motor failure from overheating.
- Self-cleaning HEPA filtration provides a burst of clean air through filter, promoting proper airflow for power-head performance and extended filter life.
- Selected single or dual operator mode. Dual operator will require an additional vacuum hose assembly to be purchased as an accessory.
- Integrated auto on/off when using system with tools.

QUICK REFERENCE MATERIAL GUIDE FOR DUST COLLECTION

Please consult factory for additional qualified materials.

| | | | | | | |
|----------------------------------|---|---------------------------------------|-----------------------------------|---|--|--|
| W_d Wood | F_b Fiberglass | S_s Solid Surface | C_m Composite | CHIP ONLY - NOT RATED FOR EXPLOSIVE DUST | | |
| A_l Aluminum | S_t Stainless Steel | C_s Carbon Steel | | | | |



**ORDINARY LOCATION
POWER HEAD
ASSEMBLY**



HEPA FILTER

STAGE 1, 99.95% @ 0.3 MICRONS



INTERFACE RING

POWER HEAD TO
DRUM TRANSFER



Y INLET

ALLOWS UP TO
2 OPERATORS



55 GALLON DRUM

ASTM GRADE (1.1 MM)
WALL THICKNESS
(SOLD SEPARATELY)



WHEELED BASE

HEAVY DUTY COMPACT BASE
(SOLD SEPARATELY)



| Model No. | Description | Powered By | Noise Level dB(A) | Air Pressure (PSIG) | H.E.P.A. Filter | Region Supply | Unit Capacity Size | Supporting Accessories | Operators | Cord Set |
|-----------|--------------------|------------|-------------------|--|-----------------|---------------|--------------------------|------------------------|-----------|-----------|
| 61200 | General Purpose | 120/60 Hz | 75 | 80-150 (5.6-10.4 kg/cm ²) | 0.3 micron | US/CA 15 Amp | 55 Gallon (208 Liter) | 96746 | Single | 27' (8 M) |
| 61201 | For use with tools | | | | | | | 32005 | Dual | |

Additional Specifications: Suggested Air Supply Line to all DrumVac Kits should be: 1/2" (13mm) minimum.

INCLUDED IN STANDARD KIT

| Model | 63600 | 63605 | 80459 | 62346/62347 | 32012 | 32011 | 32005 | 96746 | 32005 | 32016 | 32010 |
|-------|-------|-------|-------|-------------|-------|-------|-------|-------|-------|-------|-------|
| 61200 | x | | x | 62347 | x | | | x | | | |
| 61201 | | x | x | 62347 | x | | x | | | | |

OPTIONAL ACCESSORIES